



100 Moo 1 Wellgrow Industrial Estate
Bang Na-Trad KM.36 Homsin,Bangpakong
ChaChoengsao 24130
THAILAND



LENZO TIRES CATALOGUE



www.lenсотires.com
www.facebook.com/lensoandraidentires

SILEVA D1GP D1CS D-ONE D1SP FENIX GCI R107 RT-X LT-1 ATS EXPLORER

WWW.LENSOTIRES.COM



TABLE OF CONTENTS

SILENZA	01
D-1GP	03
D-1CS	05
D-ONE	07
D-1SP	09
FENIX	11
GC1	13
RT07	15
RT-X	17
LT-1	19
AT 5	21

SILENZA

Discover the Art of Quiet Comfort



TIRE SIZES

15
INCH

16
INCH

17
INCH



WET



DRY



COMFORT



HIGH GRIP



HIGH SPEED



HANDLING



FUEL SAVING



SILENCE



ASYMMETRY




Four Main Water Drainage Grooves

Efficiently drains water to minimize the risk of hydroplaning, improving road grip.



Noise Reduction Technology

Asymmetric tread patterns keep the cabin quieter, enhancing your driving comfort.



SIZE	LOAD INDEX	SPEED INDEX	TREADWEAR
175/65R15	84	H	400
185/60R15	88	H	400
185/65R15	88	H	400
195/55R15	85	V	400
195/60R15	88	H	400
195/65R15	91	V	400
185/55R16	83	V	400
205/55R16	91	V	400
215/60R16	95	H	400
215/55R17	98	W	400



D-1GP




TIRE SIZES

15
INCH

17
INCH

18
INCH



SIZE	LOAD INDEX	SPEED INDEX	TREADWEAR
195/50R15	82	V	240AA
195/55R15	85	V	240AA
205/45ZR17	88	W XL	240AA
215/45ZR17	91	W XL	240AA
225/40ZR18	92	W XL	240AA
225/45ZR18	95	W XL	240AA
235/40ZR18	95	W XL	240AA
235/45ZR18	98	W XL	240AA



Innovative tread design

Enhances water evacuation and provides precise handling control on both wet and dry surfaces.



Triangular tire grooves

Enhances tread block rigidity, minimizes tire flex, and improves driving stability.



Enhances tire-to-road contact

Providing exceptional grip for reassuring cornering and quick steering feedback.



SILEVZA

D-1GP

D-1CS

D-ONE

D-1SP

FENIX

GC1

RT07

RT-X

LT-1


AT5
EXPLORER

D-1CS



TIRE SIZES

15 INCH 16 INCH 17 INCH 18 INCH



SIZE	LOAD INDEX	SPEED INDEX	TREADWEAR
185/60 R15	88	H XL	420AA
185/65 R15	88	H	420AA
195/50 R15	82	V	420AA
195/55 R15	85	V	420AA
195/60 R15	88	H	420AA
195/65 R15	91	V	420AA
205/50 R15	86	V	420AA
185/55 R16	83	V	420AA
195/50 R16	84	V	420AA
205/55 R16	91	V	420AA
215/60 R16	95	H	420AA
205/45 ZR17	88	W XL	420AA
215/45 ZR17	91	W XL	420AA
215/50 ZR17	95	W XL	420AA
215/55 ZR17	98	W XL	420AA
215/60 R17	96	H	420AA
215/65 R17	99	H	420AA
225/40 ZR18	92	W XL	420AA
225/45 ZR18	95	W XL	420AA
225/50 ZR18	99	W XL	420AA
225/55 ZR18	102	W XL	420AA
225/60 R18	100	H	420AA
235/40 ZR18	95	W XL	420AA
235/45 ZR18	98	W XL	420AA
235/50 ZR18	97	W	420AA
245/45 ZR18	100	W XL	420AA



Features optimized water dispersion

Asymmetric tread designs excel in water evacuation, providing better performance than traditional tread patterns.



Smooth, quiet handling through corners

Reducing road noise by creating grooves in the tire tread to absorb sound.

D-ONE



TIRE SIZES


15 INCH 18 INCH 20 INCH




Varied groove sizes
Enhances cornering performance.



Flame-like tread design
The unidirectional tread pattern provides excellent control and handling for a confident driving experience.



Features 3 water-dispersing grooves
The straight center groove ensures rapid water channeling, while the lateral grooves enhance stability even in cornering on wet surfaces.




SIZE	LOAD INDEX	SPEED INDEX	TREADWEAR
195/50 R15	82	V	240AA
195/55 R15	85	V	240AA
245/40 R18	97	W XL	240AA
245/45 R18	100	V XL	240AA
255/50 R18	106	V XL	240AA
255/55 R18	109	V XL	240AA
265/40 ZR18	101	W XL	240AA
265/60 R18	114	H XL	240AA
275/40 R18	103	W XL	240AA
295/35 ZR18	103	W XL	240AA
265/50 R20	111	V XL	240AA



D-1SP



TIRE SIZES
18
INCH



SIZE	LOAD INDEX	SPEED INDEX	TREADWEAR
245/45 R18	100	V XL	240AA
255/50 R18	106	V XL	240AA
255/55 R18	109	V XL	240AA
265/40 ZR18	101	W XL	240AA
265/60 R18	114	H XL	240AA
275/40 ZR18	103	W XL	240AA
295/35 ZR18	103	W XL	240AA

Inner tread enhances stability

The unique inner tread pattern provides superior handling and stability, especially in corners.

The shoulder design provides added stability

The optimized shoulder design and groove pattern enhance weight distribution and water evacuation for improved stability and control.

Large drainage grooves enable rapid water drainage

The straight grooves ensure quick water removal, enhancing safety at high speeds.

Crossed tread pattern

The unique crisscross pattern and varied tread block sizes maximize grip and handling, ensuring optimal performance in all driving conditions.



SILENZA

D1GP

D1CS

D-ONE

D-1SP

FENIX

GCI

R107

RT-X

LT-1

AT5 EXPLORER

FENIX



TIRE SIZES

18
INCH

20
INCH



Dual-sized unidirectional shoulder blocks

Durability, longevity, and superior balance.




Arrow-shaped tread pattern

The dynamic tread pattern optimizes performance, providing enhanced stability and reduced hydroplaning.



Unidirectional tread pattern

Optimized water channeling, minimized hydroplaning.



SIZE	LOAD INDEX	SPEED INDEX	TREADWEAR
245/45 ZR18	100	W XL	420AA
255/50 R18	106	V XL	420AA
255/55 R18	109	V XL	420AA
265/60 R18	114	H XL	420AA
275/40 ZR18	103	W XL	420AA
265/50 R20	111	V XL	420AA
275/55 R20	117	H XL	420AA



SILENZA

DIGP

DICS

DONE

DISP

FENIX

GC1

RT07

RT-X

LT-1

AT5
EXPLORER




TIRE SIZES

16 INCH	17 INCH	18 INCH	20 INCH
------------	------------	------------	------------



Asymmetric tread pattern

Angled tread pattern across the tire reduces tread wear, providing excellent grip for superior handling and cornering stability.




Multi-grooved tire

Optimized tread design reduces air pumping noise and minimizes tread wear.





Two wide circumferential grooves

Optimized water channeling design for superior wet grip.



SIZE	LOAD INDEX	SPEED INDEX	TREADWEAR
245/70 R16	111	H XL	500AA
265/70 R16	112	H	500AA
225/65 R17	102	H	500AA
235/65 R17	108	H XL	500AA
265/65 R17	112	H	500AA
265/70 R17	115	H	500AA
235/60 R18	107	H XL	500AA
235/65 R18	110	H XL	500AA
245/60 R18	105	H	500AA
265/60 R18	110	H	500AA
265/65 R18	114	H	500AA
265/50 R20	111	V	500AA
275/55 R20	117	H XL	500AA
275/60 R20	119	H XL	500AA





TIRE SIZES

16 INCH 17 INCH 18 INCH 20 INCH



DRY



HANDLING



WET



SILENCE



COMFORT



DIRT




The center tread is designed for optimal grip and traction.

The angled block design of the tread promotes efficient mud shedding and a smooth, balanced ride, making it suitable for various terrains.




Specially engineered shoulder for enhanced performance

Not only does it improve road grip, but it also provides a quieter driving experience.



Optimizing the tire tread for multi-directional water dispersion and enhanced grip

The fine tread design optimizes water drainage, enhances handling, and offers a smooth ride on various road surfaces.



SIZE	LOAD INDEX	SPEED INDEX	TREADWEAR
215/70R16	104	S XL	400AB
265/70R16	116	S XL	400AB
265/75R16	115	S XL	400AB
265/65R17	114	S XL	400AB
265/70R17	116	S XL	400AB
285/70R17	117	S	400AB
315/70R17	116	S	400AB
265/60R18	114	S XL	400AB
265/65R18	118	S XL	400AB
275/70R18	116	S XL	400AB
265/50R20	111	S XL	400AB
275/55R20	117	S XL	400AB



Design Excellence Award 2021



SILENZA

DIGP

DICS

DONE

DISP

FENIX

GCI

RT07

RT-X

LT-1

AT5 EXPLORER

RT-X



TIRE SIZES

16 INCH	17 INCH	18 INCH	20 INCH
------------	------------	------------	------------



DURABILITY



MUD



DIRT



Wide shoulder and sidewall tread for enhanced traction

Provide superior durability across different road surfaces.



L-shaped and hooked tire pattern

Lenso's distinctive tire markings, combined with a specialized tread pattern, enhance the tire's appearance and promote efficient water and mud evacuation.

Honeycomb tread pattern

Designed for efficient mud removal, reduced soil retention.



Narrow tire treads

Delivers a quieter and more comfortable driving experience.


BLACK SIDEWALL



WHITE SIDEWALL



RT-X



SIZE	LOAD INDEX	SPEED INDEX	PLY RATING	LETTERS
265/70 R16	121/118	Q	10	WHITE
265/75 R16	119/116	Q	8	WHITE
285/70 R17	116/113	Q	6	WHITE
265/60 R18	119/116	Q	10	WHITE
265/65 R18	117/114	Q	8	WHITE
33x12.5 R18	118	Q	10	BLACK
35x12.5 R18	118	Q	8	BLACK
265/50 R20	121/118	Q	10	WHITE
275/55 R20	115/112	Q	8	WHITE
285/55 R20	117/114	Q	8	WHITE
305/55 R20	121/118	Q	10	BLACK
33x12.5 R20	114	Q	10	BLACK
35x12.5 R20	121	Q	10	BLACK



LENZO
TIRES

SILENZA

DIGP

D-ICS

D-ONE

D-SP

FENIX

GCI

GRAND CRUISER

R107

RT-X

LT-1

AT5
EXPLORER

LT-1

Value, Safety,
Confidence on Every Road



TIRE SIZES

14 INCH 15 INCH 16 INCH



Extra-Wide
Tread Pattern

Increase road contact
and reduces uneven wear.



8-Ply Fabric
Construction

Enhances strenght
and durability, supports weight
efficiently, and minimizes
tire deformation during use.




Four Main Water
Drainage Frooves

Improves water expulsion,
reducing hydroplaning risks.



LT-1



SIZE	LOAD INDEX	SPEED INDEX	PLY RATING
195R14	106/104	Q	8
205/70R15	109/107	S	8
215/70R15	112/110	S	8
215/65R16	109/107	S	8
215/70R16	112/110	S	8



LENZO
TIRES

SILENZA

DIGP

DICS

DONE

DISP

FENIX

GCI

RT07


RT-X

LT-1

AT5
EXPLORER

AT5 EXPLORER

Go Anywhere.
Value in Every Kilometer.



TIRE SIZES

16 INCH 18 INCH 20 INCH



DRY



HANDLING



WET



SILENCE



COMFORT



DIRT

SIZE	LOAD INDEX	SPEED INDEX	TREADWEAR
245/70 R16	111	T XL	520AB
265/70 R16	112	T	520AB
265/75 R16	116	T	520AB
265/60 R18	114	T XL	520AB
265/50 R20	111	T XL	520AB



Long Center Grooves with Zigzag Sipes

Effectively channel water away to improve wet-road traction, reduce road noise, and minimize the risk of hydroplaning for a smoother, safer drive.



Reinforced Shoulder Blocks

Increase cornering stability and improve vehicle control, delivering greater confidence during turns.



Multiple Fine Sipes

Enhance grip on slippery surfaces and provide more stable, confident performance.



Wide Lateral Grooves

Quickly evacuate water and mud from the tread surface, reducing clogging and maintaining consistent traction on challenging terrain.

